Name _	Date of Birth Date Completed
Please o	complete this form in addition to the medical history form prior to your first visit.
	t what age did you have your first significant headache?
J. C	None known
	InjuryMenstrual period
	Pregnancy Other
4. H	In the start of th
	Frequency of headaches <u>before</u> they started to progress:days perweekmonthyear
	Severity of headaches <u>before</u> they started to progress (scale 1-10):  (Please refer to pain scale drawings.)
	mainder of these questions refer to your headaches as they are now (in approximately st the three months).
	requency of all headaches of ANY severity or location:days perweekmonthyear by you have a headache daily? (of any severity)YesNo  If yes, are you ever headache free?YesNo  If yes, for how many hours are you headache free?dailyweekly
8. Fr	everity of your worst headaches (scale 1-10): (refer to pain scale drawings.) requency of your worst headaches: days per week month year
9. Se 10. Fr	everity of <u>most</u> of your headaches (scale 1-10): requency of headaches described in #9 days per week monthyear
11. Lo	ocation of your worst headaches: (mark the areas)
12. Lo	ocation of most of your headaches: (mark the areas)
13. Di	uration of your worst headaches:
	Without treatment:minuteshours days With treatment: minutes hours days

Name		Date	of Birth_	Date (	Completed	
14. Durati	ion of <u>most</u> of your headac Without treatment:r With treatment:r		esh	ours days	3	
	Headache all the					
15. Descr	iption of your worst heada	ches:				
10.000	throbbing s		dull	stabbing	shooting	pounding
	burningkn	ifelike	achy	pressure	_other	r
16. Descr	iption of <b>most</b> of your head	laches:				
			dull	stabbing	shooting	pounding
	throbbing s burning kn	ifelike	achy	pressure	_other	
17. Time of	day headache is worse:			No pattern		
18. Day of t	day headache is worse: the week headache is worse of the year headache is wo	):		No pattern		
9. Season	of the year headache is wor	:se:		No pattern		
20. Do you	experience sudden headacl	nes on one	side of the l	nead?Yes	No	
	If yes:					
	Which side?Left	Rigl	htCa	n be either one		
	The pain is:ex	cruciating	(Pain scale	9-10)		
	7- 5-	8				
	5-	6				
	ot	ner				
	The pain is: ir	nmediate o	nset (occurs	s in seconds)		
			-15 minutes			
	m	oderate ons	set (15-60 m	ninutes)		
	The frequency is:	daily				
		sever	al times a d	lay. (How many	?)	
	_		other day			
		other	<u> </u>	_		
	Is the pain in one eye?	Yes_	No			
				RightL	eft	
			eye become			
	_		eye starts to			
		$\underline{}$ The $\epsilon$	eyelid droop	os.		
		There	e is sudden	nasal congestion	1.	
	_	There	e is sudden	nasal drainage.		

21. During the headache are you more comfortable:  Lying down  Keeping active  Massage/Pressure  Dark quiet room Pacing Other  22. Ability to function during your worst headaches: Able to function normally Ability to function slightly decreased Ability to function severely decreased Totally bedridden  23. Ability to function slightly decreased Ability to function severely decreased Totally bedridden  24. Do you miss work/school because of headaches? Yes No (cicle one) How often?  25. Please mark what can bring on your headaches (Triggers): Foods Alcohol Medications Hunger Physical exertion Sex/Orgasm Aspartame Menstration/Premenstral Chocolate Lack of sleep MSG Too much sleep MSG Too much sleep Altered eating schedule Stress Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Straining Loud sounds (phonophobia) Straining Dodors (osmophobia) Uping down Others  Visual zigzag lines Weakness on one side of body Visual zigzag lines Upset stomach Upset stomach	Name	Date	of Birth	Date Completed
Lying down Keeping active Massage/Pressure Dark quiet room Pacing Other  22. Ability to function during your worst headaches: Able to function normally Ability to function severely decreased Totally bedridden  24. Do you miss work/school because of headaches? Yes No (circle one) How often?  25. Please mark what can bring on your headaches (Triggers): Foods High altitude Caffeine Medications Hunger Physical exertion Alcohol Sex/Orgasm Aspartame Menstration/Premenstral Chocolate Lack of sleep MSG Too much sleep Altered eating schedule Stress Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Straining Loud sounds (phonophobia) Altered eating signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Blindness Upset stomach				
Keeping active   Massage/Pressure   Dark quiet room   Pacing   Other			le:	
		Keeping active		
		Massage/Pressure		
Pacing Other   Other		Dark quiet room		
Other  22. Ability to function during your worst headaches:     Able to function normally     Ability to function slightly decreased     Ability to function severely decreased     Totally bedridden  23. Ability to function during most of your headaches:     Able to function normally     Ability to function severely decreased     Totally bedridden  24. Do you miss work/school because of headaches? Yes No (circle one)     How often?  25. Please mark what can bring on your headaches (Triggers):     Foods		Pacing		
Able to function normally Ability to function slightly decreased Totally bedridden  23. Ability to function severely decreased Totally bedridden  24. Do you miss work/school because of headaches? How often?  25. Please mark what can bring on your headaches (Triggers): Foods Caffeine Hunger Alcohol Aspartame Aspartame Chocolate Altered eating schedule Altered eating schedule Fatigue Coughing Bending over Bending over Straining Alcohol Alcohol Alcohol Straining Alcohol Alcohol Straining Alcohol Alco		Other		
Able to function normally Ablity to function slightly decreased Ablity to function severely decreased Totally bedridden  23. Ability to function during most of your headaches: Able to function normally Ability to function slightly decreased Ability to function slightly decreased Ability to function severely decreased Totally bedridden  24. Do you miss work/school because of headaches?	22. Ability to function du	ring your <u>worst</u> headacl	hes:	
Ability to function slightly decreased Ability to function severely decreased Totally bedridden  23. Ability to function during most of your headaches: Able to function normally Ability to function slightly decreased Ability to function slightly decreased Ability to function severely decreased Totally bedridden  24. Do you miss work/school because of headaches? YesNo (circle one) How often?  25. Please mark what can bring on your headaches (Triggers): Foods		Able to function nor	rmally	
Ability to function severely decreasedTotally bedridden  23. Ability to function during most of your headaches:		Ability to function s	slightly decreased	
Totally bedridden 23. Ability to function during most of your headaches:    Ability to function slightly decreased    Ability to function severely decreased    Ability to function severely decreased		Ability to function s	severely decreased	l .
Able to function normally Ability to function slightly decreased Ability to function slightly decreased Totally bedridden  24. Do you miss work/school because of headaches?		Totally bedridden		
Ability to function slightly decreased Ability to function severely decreased Totally bedridden  24. Do you miss work/school because of headaches? Yes No (circle one) How often?  25. Please mark what can bring on your headaches (Triggers): Foods High altitude Caffeine Medications Hunger Physical exertion Alcohol Sex/Orgasm Aspartame Menstration/Premenstral Chocolate Lack of sleep MSG Too much sleep Altered eating schedule Stress Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Straining Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach				
Ability to function severely decreased Totally bedridden  24. Do you miss work/school because of headaches? YesNo  (circle one) How often?  25. Please mark what can bring on your headaches (Triggers):  Foods		Able to function nor	rmally	
Totally bedridden  24. Do you miss work/school because of headaches?		Ability to function s	slightly decreased	
Totally bedridden  24. Do you miss work/school because of headaches?		Ability to function s	severely decreased	
25. Please mark what can bring on your headaches (Triggers):  Foods Caffeine Medications Hunger Physical exertion Alcohol Sex/Orgasm Aspartame Menstration/Premenstral Chocolate Lack of sleep MSG Too much sleep Altered eating schedule Stress Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Standing up Odors (osmophobia) Lying down  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Blindness Upset stomach		Totally bedridden		
25. Please mark what can bring on your headaches (Triggers):  Foods  Gaffeine  Hunger  Alcohol  Aspartame  Chocolate  Mestration/Premenstral  Chocolate  Altered eating schedule  Fatigue  Coughing  Bending over  Bending over  Bending up  Codors (osmophobia)  Straining  Lying down  26. Please mark the warning signs that a headache is coming (Prodromes):  Visual light flashes  Visual zigzag lines  Blindness  High altitude  Medications  High altitude  Medications  High altitude  Medications  Heigh altitude  Medications  Heigh altitude  Medications  Exertion  Sex/Orgasm  Menstration/Premenstral  Lack of sleep  Too much sleep  Stress  Neck movement  Weather changes  Bright lights or sun (photophobia)  Codors (osmophobia)  Others  Visual light flashes  Weakness on one side of body  Visual zigzag lines  Blindness  Upset stomach			ies?Yes	No
25. Please mark what can bring on your headaches (Triggers):  Foods  High altitude  Caffeine  Medications  Hunger  Physical exertion  Alcohol  Sex/Orgasm  Aspartame  Menstration/Premenstral  Chocolate  Lack of sleep  MSG  Too much sleep  Altered eating schedule  Stress  Fatigue  Neck movement  Coughing  Weather changes  Bending over  Bright lights or sun (photophobia)  Straining  Loud sounds (phonophobia)  Straining  Odors (osmophobia)  Lying down  Cothers   26. Please mark the warning signs that a headache is coming (Prodromes):  Visual light flashes  Weakness on one side of body  Visual zigzag lines  Blindness  Upset stomach				
Foods High altitude Caffeine Medications Hunger Physical exertion Alcohol Sex/Orgasm Aspartame Menstration/Premenstral Chocolate Lack of sleep MSG Too much sleep Altered eating schedule Stress Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Straining Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach	How often	?		
Foods High altitude Caffeine Medications Hunger Physical exertion Alcohol Sex/Orgasm Aspartame Menstration/Premenstral Chocolate Lack of sleep MSG Too much sleep Altered eating schedule Stress Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Straining Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach	05 Di	1	(Tui).	
Caffeine Medications Hunger Physical exertion Alcohol Sex/Orgasm Aspartame Menstration/Premenstral Chocolate Lack of sleep MSG Too much sleep Altered eating schedule Stress Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Standing up Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach		bring on your neadache		
Hunger Physical exertion Alcohol Sex/Orgasm Aspartame Menstration/Premenstral Chocolate Lack of sleep MSG Too much sleep Altered eating schedule Stress Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Straining Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach		-		
Aspartame Menstration/Premenstral Chocolate Lack of sleep MSG Too much sleep Altered eating schedule Stress Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Standing up Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach	Carreine	-	Medications	š
Aspartame Menstration/Premenstral Chocolate Lack of sleep MSG Too much sleep Altered eating schedule Stress Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Standing up Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach		_	Physical exc	ertion
Chocolate  MSG Too much sleep  Altered eating schedule Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Standing up Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Visual zigzag lines Blindness Upset stomach  Upset stomach	Alconol		Sex/Orgasir	1
MSG Too much sleep Altered eating schedule Stress Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Standing up Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach	Aspartame	_		
Altered eating schedule Fatigue Coughing Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Standing up Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Visual zigzag lines Blindness Upset stomach Upset stomach		_		
Fatigue Neck movement Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Standing up Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach		1 . 1 . 1		leep
Coughing Weather changes Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Standing up Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach	+	ing schedule	<del></del>	
Bending over Bright lights or sun (photophobia) Straining Loud sounds (phonophobia) Standing up Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach		•••	<del></del>	
Straining Loud sounds (phonophobia) Standing up Odors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes): Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach		<del>-</del>	<del></del>	•
Standing upOdors (osmophobia) Lying down Others  26. Please mark the warning signs that a headache is coming (Prodromes):Visual light flashesWeakness on one side of bodyVisual zigzag linesDizziness/lightheadednessBlindnessUpset stomach		er _		
Lying down  Others  26. Please mark the warning signs that a headache is coming (Prodromes):  Visual light flashes  Visual zigzag lines  Blindness  Others  Others  Others  Upset stomach		***		
26. Please mark the warning signs that a headache is coming (Prodromes):  Visual light flashes  Visual zigzag lines  Blindness  Upset stomach				
Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach	Lying down	1 _	Others	
Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach				
Visual light flashes Weakness on one side of body Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach	26 Dlogge monte the man	na aigna that a haadaah	a is coming (Duad	romes).
Visual zigzag lines Dizziness/lightheadedness Blindness Upset stomach				
Blindness Upset stomach	visual righ	i iidsiivs na lines		•
	v isuai zigz	ag imes		
		on one side of hader		
Numbness on one side of body Other Speech difficulties		on one sine of gons		specen unnounces

Name	_ Date of Birth	Date Completed	
27. Associated symptoms during headache	;		
Nausea	white	Concentration/Memory lo	SS
Vomiting	<del></del>	Fatigue	
Increased appetite	_	Weakness on one side of t	ody
Decreased appetite		Weakness all over	
Constipation		Dizziness/lightheaded	
Diarrhea		Sore/stiff neck	
Ringing in ears	WAR-11	Numbness/tingling one sid	le of body
One eye tears		Numbness/tingling both si	des of body
Both eyes tear		Sensitive to:	
Insomnia		LightSounds_	Odors
Anxiety/tension		Passing out	
Irritablity		Eyelid droops	
Blurry vision	_	Seizure	
Double vision	<del></del>	Speech difficulties	
Increased urination		Face twitches	
Face droops on one side	ALL SHIPS ALL SHIPS	Face/scalp swells	
Pupils unequal	**************************************	Confusion	
Sensitivity of scalp or skin of	f face (Allodynia)	<del></del>	
Heat			
Pulling hair back			
Wearing contacts			
Shaving face			
Air conditioning or c	old		
Combing hair			
Wearing eyeglasses			
Wearing earrings			
Taking a shower			
Anything touching so	raln		
1 my aming to do ming of	ou.p		
Other			
28. How well do you sleep?			
Sleep well all night			
Sleep poorly			
Trouble falling asleep			
Wake several times			
Wake up too early			
Headache wakes from sleep			
29. Do you clench your teeth?Yes _	No Don'	et know	
30. Do you grind your teeth at night?	Yes No	_Don't know	
31. Does your neck hurt during a headache		No	
32. Does your neck hurt during a headache			
33. Does the position of your neck on the p			No

iname	Date of Birth	Da	te Compieted	
34. How often do you go the ER fo	r headaches?			
35. Have you ever been admitted to	a hospital for headaches?	Yes	No	
36. Have you had an eye examinati	on in the last 6 month?	Yes	No	
37. Have you had a dental evaluation	on? Yes No		<del>_</del>	
38. Have you had psychological tes	sting? Yes No			
39. Previous non-medicinal treatme	ent:			
Biofeedback				
Relaxation				
Hypnosis				
Physical therapy				
Nutritional counselir	ıg			
Acupuncture/acupres	ssure			
Allergy testing				
Other				

Nam	ıe	Date of Birth	·	I	Date Completed
num weel	ber (0,1 c, inclu	onnaire consists of 17 groups of statements. At ,2, or 3) next to the statement in each group willing today. If several statements within a group to total and in each group he fore making your	hich b p seem	est desert to app	cribes the way you have been feeling the past
		statements in each group before making your	enorce.		
1.	0	I do not feel sad	8.	0	I don't have any thoughts of killing myself.
	1	I feel sad.		1	I have thoughts of killing myself, but I
	2	I am sad all the time			would not carry them out.
		and I can't snap out of it.		2	I would like to kill myself.
_				3	I would kill myself if I had the chance.
2.	0	I am not particularly discouraged			•
		about the future.	9.	0	I don't cry any more than usual.
	1	I feel discouraged about the future.	- •	1	I cry more now than I used to.
	2 3	I feel I have nothing to look forward to.		2	I cry all the time now.
	3	I feel that the future is hopeless and		3	I used to be able to cry, but now I can't cry
		that things cannot improve.		J	even though I want to.
3.	0	I do not feel like a failure	10.	Λ	I am no more irritated now that I ever am.
	1	I feel I have failed more than	10.	0 1	
		the average person.		1	I get annoyed or irritated more easily that I
	2	As I look back on my life, all I can		2	used to.
		see is a lot of failures.		2 3	I feel irritated all the time now.
	3	I feel I am a complete failure as a person		3	I don't get irritated at all by the things that used to irritate me.
4.	0	I get as much satisfaction out	11,	0	I have not lost interest in other people.
		of things as I used to.	11,	1	I am less interested in other people that I
	1	I don't enjoy things the way I used to.		1	used to be.
	2	I don't get a real satisfaction out		2	
		of anything I do anymore.		2	I have lost most of my interest in other
	3	I am dissatisfied or bored with everything.		2	people.
				3	I have lost all of my interest in other
5.	0	I don't feel particularly guilty.			people.
•	1	I feel guilty a good part of the time.	10	•	T 1 A C 1 T 1 1 1 T 1 4
	2	I feel quite guilty most of the time.	12.	0	I don't feel I look any worse than I used to.
	3	I feel guilty all the time.		1	I am worried that I am looking old and
	2	r root guilty air the time.		_	unattractive.
6.	0	I don't feel I am being punished.		2	I feel there are permanent changes in my
0.	1	I feel I may be punished.			appearance that make me look unattractive.
	2	I expect to be punished.		3	I believe that I look ugly.
	2.	r expect to be pullished.			
7.	0	I don't feel I am worse than anybody else.	13.	0	I can work about as well as before.
7.		•		1	It takes an effort to get started doing
	1	I am critical of myself for my weakness or mistakes.			something.
	2			2	I wake up 1-2 hours earlier than usual and
	2 3	I blame myself all the time for my faults.			find it hard to get back to sleep.
	3	I blame myself for everything bad that happens.		3	I wake up several hours earlier than I used to and cannot go back to sleep.

Name		Date of Birth Date Completed	<del></del>
14.	0	I don't get more tired that usual.	
~ ••	1	I get tired more easily than I used to.	
		I get tired from doing almost anything.	
	2 3	I am too tired to do anything.	
15.	0	My appetite is no worse than usual.	
	1	My appetite is not as good as it used to be.	
	2 3	My appetite is much worse now.	
	3	I have no appetite at all anymore.	
16.	0	I haven't lost much weight, if any, lately.	
	1	I have lost more than 5 pounds.	
	2	I have lost more than 10 pounds.	
	3	I have lost more than 15 pounds.	
		I am purposely trying to lose weight by eating lessYesNo	
17.	0	I am no more worried about my health than usual.	
	1	I am worried about physical problems such as	
		aches and pains; upset stomach or constipation.	
	2	I am very worried about physical problems and it's	
		hard to think of much else.	
	3	I am so worried about physical problems that	
		I cannot think about anything else.	

Name	Date of Birth	Date Completed
headaches have on your dail	y function. It tries to determine how tion in a way to which you are accus	s developed to measure the effect migraine many days of your life were affected to the point stomed. MIDAS takes into account the past three
	MIDAS Questi	ons
	•	aches you have had over the last 3 months. Write did not do the activity in the last 3 months.
1. On how many days in the last 3	months did you miss work or school becau	ise your headaches? days
	onths was your productivity at work or schole days you counted in question 1 where yo	
3. On how many days in the last 3	months did you not do household work be	cause of your headaches?days
	e months was your productivity in househo not include days you counted in question 3 v	
5. On how many days in the last 3	months did you miss family, social or leisu	are activities because of your headaches?days
		TOTAL
A. On how many days in the last	3 months did you have a headache? (If a head	dache lasted more than 1 day, count each day.)days
B. On a scale of 0 to 10, on average	ge how painful were these headaches? (whe	re $0 = no$ pain at all and $10 = pain$ as bad as it can be.)

Once you've answered these questions, add up the total number of days from questions 1-5 (ignore A and B).

Grade	Definition	Score
I	Little or no disability	0-5
II	Mild disability	6-10
Ш	Moderate disability	11-20
IV	Severe disability	21+

Name	Date of Birth	Date	Completed	**************************************
How many days in an average wee over-the-counter medications such as-needed medications. Do not include take regularly.	as Excedrin Migraine, Ibuj	profen, Good	y's Powder,	etc. and include prescription
-	days per	week _(check one)	month	
List all medications you take for pamedications.	nin (any pain), frequency of	use and for l	now long. In	clude all over the counter
Medication				How long?
	Days per _	week	month	
	Days per	week	month	
	Days per _	week	month	
	Days per _	week	month	
	Days per	week	month	****
	Days per _	week	month	- And Anthony of the second
	Days per _	week	month	
	Days per _	week	month	
	Days per	week	month	
	Days per _	week	month	AMAZIQUI AM
	Days per	week	month	
	Days per	week	month	
	Days per	week	month	
	Days per	week	month	