

<u>Discharge Instructions for Ulnar Nerve Surgery</u>

Report to physician

- 1. Redness or swelling of incision
- 2. Chills or fever GREATER THAN 101.5 (a temperature elevation in is normal within 24-72 hours after surgery).
- 3. Drainage or bleeding from incision lasting greater than 5 days.
- 4. Excessive pain or tenderness at incision site

Wound Care

- 1. Place ice on elbow area for four hours on the day of surgery.
- 2. Remove ace wrap the day after surgery.
- 3. Wear arm sling when walking for the next three days.
- 4. Keep arm elevated on a pillow when sitting or lying for the next three days.
- 5. Remove the white gauze bandage in five days after surgery.
- 6. If after dressing is removed there is some drainage, cleanse incision three times daily with hydrogen peroxide and cover with a light gauze dressing.
- 7. It is normal to experience numbness and some incisional swelling and pain.

<u>Activity</u>

- 1. Driving: No driving of a motor vehicle for at least two weeks postoperatively. The Dr. will specify if you are to have any further driving restrictions.
- 2. You may resume your normal personal hygiene, using care not to get dressing or incision wet.
- 3. You are encouraged to use your hand in daily activity to tolerance.

Post-operative Visit

Please contact office when discharged from hospital to make a suture removal appointment for 10-14 days after surgery if one has not already been made.

Date of post-operative visit	 Time	
Patient:		